



AL TAHER

Polish Today Brighter Tomorrow

Tel: +9716 7482593
P.O Box: 18912, Ajman - UAE

ISO 9001:2015
ISO 14001:2015
ISO 45001:2018

info@altaherchemicals.com
www.altaherchemicals.com

ZINC RICH PAINTS



Zinc Rich Paint / Zincon 2021 Spray

Offer outstanding protection against atmospheric corrosion spray on damaged/scratched or welded GI fabrication/ sections confirms to requirement of ASTM A780 passes 500 hrs salt spray test.



Zinc Rich Paint / Zincon 4021 Brush

High viscosity brush version for achieving high thickness in single coat. Offer outstanding Protection against atmospheric corrosion.



Zinc Rich Paint / Zincon 2021

Offer outstanding protection against atmospheric corrosion Spray on damaged/scratched or welded GI fabrications/ sections confirms to requirement of ASTM A780 passes 300 hrs salt spray test.



Zinc Rich Paint / Zincon Bright

Offers outstanding protection against atmospheric corrosion. Spray on damaged , scratched, or welded GI fabrications / sections. Confirms to requirement of ASTM A780, passes 300 hrs salt spray test.



Zinc Rich / Zincon Paint Aluminium

Offer outstanding protection against atmospheric corrosion Spray on damaged/scratched or welded GI fabrications/ sections confirms to requirement of ASTM A780 passes 300 hrs salt spray test.



Zincon Paint ALC 250

It produces a durable coating which has been designed specifically for touch up of components. It dries quickly & is resistant to sagging, cracking, chipping. Touch up zinc plating components.



AEROSOL PAINTS



Paint features

- Quick drying , smooth finish & high gloss,
- Premium quality , high durable.
- Interior and exterior application.
- Ideal for wood, metals, plastic , automotive and equipment's etc.
- CFC free
- The product has good hiding power , coverage and gives protection against corrosion.



Aero Paint White



Aero Paint Black




Aero Paint Blue



AEROSOL PAINTS



Aero Paint Orange



Aero Paint Green



Aero Paint Grey



Aero Paint Brown



Aero Paint Red




Aero Paint Silver



Aero Paint 18k Bright



Aero Paint Gold Special



Aero Paint Normal Gold, 24k



AEROSOL FUNCTIONAL



Lubricon WD-3E

- Excellent Wetting & Dispersion
- Effective Lubricants
- Enhanced Corrosion Protection



MPC Electra Clean

- It is suitable for cleaning electrical devices, panels, electric motors & generators.
- Not plastic safe.



MPC Contact Cleaner

This solvent-based cleaner is suitable for cleaning electronics & electrical devices, panels, electric motors & generators. The cleaner is also ideal for use in many other industrial environments.



Multi Metal Cleaner

Clear stainless steel, Nickel, Chrome, Zinc, Aluminium & Metal Alloys. Multimetal keeps lifts, handrails & other fittings clean, dirt free.



Anti Spatter

Anti Spatter is also known as Anti Weld Spatter, which is evaporating, cost-effective, & high-temperature heat-stable agent for the prevention of weld spatter adhering to metal surfaces during the welding process.



All Purpose Remover

Removes paint, varnish & adhesives effective removal of conventional & formed in place gaskets on motors, pumps & flanges.



SS PICKLING & PASSIVATION



Pick N Pass Gel

Remove any high temperature scale & the underlying chromium depleted layer & restores the corrosion resistance. Pickling gel or paste is used for cleaning & passivating of welding joints & the heat affected area of welded stainless steel or inox fabrication.



Pick N Pass RR / Rust Remover

Pick N Pass RR for stainless steel & Rust Remover for mild steel quickly dissolves rust & restore tools, equipment, & surfaces to bare metal without chipping, scraping, or scrubbing. Great for removing rust from tools, metal, cast iron & more without harming paint, gaskets, trim, or other surrounding parts.



Pick N Pass Liquid

Pickling Liquid is usually used in tank immersion or circulation & it is advantageous for treating all the fabrication surfaces at the same time for uniformity of finish & optimum corrosion resistance. Pickling liquid is circulated through system of pipework & is specially recommended for piping.



Pick N Pass Passivation

Passivation is a chemical treatment with an acidic process that removes free iron & other contamination from the stainless steel while simultaneously promoting the formation of a passive chromium oxide layer to act as a barrier to further corrosion.



Pick N Pass Neutralizer

Neutralizer solution liquid alkaline solution to neutralize acid stainless steel pickling products & acidic surface after pickling & passivation. Neutralizer is the best way to ensure you are getting all of the pickling & passivation solution off your parts.



Weld Cleaner Brush

The Weld Brush 300 is our basic model, which is very popular due to its simple operation & low price, but it is very suitable to achieve a professional finish on all types of surface finishing demands.



LUB CUTTING OILS



Soluble Cutting Oil

- Clear emulsion
- Low concentration
- Effective antibacterial & anti-fungal
- No layer formation



Gear Oil

It is extreme pressure & high load carrying oil that is highly suitable for agricultural activities, commercial applications, & industries. These protect & nurture the equipment's durability.



Hydraulic Oil

- High anti wear
- High corrosive protection
- Protects gears & pumps in circulating systems
- High thermal & oxidation stability



Compressor Oil

Compressor oil is designed to serve three critical functions inside your equipment. It lubricates all of the moving parts so that they can work around one another without binding or wearing.



Rust Preventive Oil

- Excellent indoor & Outdoor Corrosion Protection
- Enhanced Lubricity
- Effective Water Dispersion



Neat Cutting Oil

- High Oxidation Stability
- Anti Corrosive
- No Sludge Formation
- Fine Smooth Surface Finish



SAQAL DISC CUTTING & GRINDING



SQL Cutting Disc

115 x 1 x 22.2mm / 3mm /
230mm/ 355mm / 400mm

Abrasive Cutting discs are used in order to cut thin discs or steel pipes, stainless steel rods, etc. The cutting action is performed in an abrasive manner easing up the process of getting fine disc cuts.



SQL Disc Grinding

115 X 6mm X 22.2mm / Flexible
115 X 3 X 22 / Glass 100 X 7 X 16

Abrasive grinding disc is a wheel composed of an abrasive compound which is expendable & turns in high speed for quickly grinding the workpiece.



SQL Fibre Disc Alox/ZWR

115 x 22mm G- 120, 60, 80

These are covered with resin coats used for general grinding & finishing the metal, plastics, & wood. It is used for removing heavy stock material & general surface blending.



SQL Flap Disc Alox / ZR

115 X 22.23mm - G40, 60, 80, 120

It is used for metal finishing that is made with a circular flat sheet & overlapping small pieces that are bonded to the central piece. It provides stability while finishing with cooler cuts & fewer vibrations.



SQL Disc Abrasive Polishing

115mm x 22mm

Used on a backing plate on an angle grinder, resin fibre discs have an extensive scope of applications ranging from fine & coarse sanding, blending welds, deburring & de-rusting. Abrasive polishing discs are fitted to suitable backing pads & used on angle grinders.



SQL Disc Rust Clean

115mm x 22mm

- 4.5" Clean & Strip Discs
- Remove Rust, Paint, Scaling & Oxidation Effortlessly
- For use on wood, metal & fiberglass
- Blue Clean & Strip Discs has a longer life than Black Clean & Strip Discs.



SAQAL DISC-NON WOOVEN



SQL Fleece Wheel

100X100X19mm / Brown / Grey / Orange

Non-woven wheels can be found in three types- convolute, flap & unified. These are used differently for each type of application. Compact high-tech fleece wheel made from compressed nylon grit fleece for industrial grinding.



SQL Wheel Fleece Mix

GC 88 100 X 100 X 19 mm

Combined fleece/grinding flap wheel. This wheel has more aggressive impact than pure fleece wheels due to this with a vibration-damping core for single, double & quadruple spline shafts, thus ensuring the disc runs perfectly.



SQL Wheel Flap

6 x 1, 6 x 2, 8 x 1, 8 x 2, 10 x 1, 10 x 2 - G36, 60, 80, 120, 220, 320, 400



With a vibration-damping core for single, double & quadruple spline shafts, ensuring the wheel runs perfectly for removing rust, oxide layers, paint, scratches & for textured & satin finishes on all metals.



SQL Wheel Mat Finishing

All Size (6X1, 8 X 2, 8 X 1, 10 X 2) - D7 & D5

Where surface conformability is a priority or when the approach desires long-line brushed finish, the best wheel is the Flap wheel. It is formed by piling up sheets of the non-woven material near to the center hub.



SQL Shafted Flap Wheel

- Close Coating
- Aluminium Oxide Grains
- Grins from P40 to P360
- Standing for not easy to access surfaces.
- Used for rust removal, deburring & grining can be used for other metals.



SQL Unitized Disc

115mm x 22mm

Saqal Unitized Disc is strong & effective for edge deburring & finishing. This disc performs well in a variety of metal working applications and machined parts.



SAQAL BELTS

Aluminium Oxide Abrasive Belt



Ideal for sanding low alloy steel, aluminium, zamak, non ferrous steel, cast iron & wood in belts, rolls & flap discs. X heavy poly-cotton cloth backing with Aluminum Oxide abrasive.

Zirconium Abrasive Belts




Ideal for sanding stainless steel & low alloy steel in narrow belts, rolls, hook & loop discs, flap discs & flap wheels. X heavy cotton cloth backing with aggressive Zirconia abrasive.

Ceramic Abrasive Belts



Ideal for sanding low alloy steel, stainless steel, high alloy steel, heat resistant steel & cast iron in belts & rolls. YY polyester cloth backing with Ceramic abrasive, also with friction & heat resistant Top Size coating. Suitable for wet applications.



Super Abrasive Belts

Ideal for heavy deburring & sanding low alloy steel, stainless steel, heat-sensitive steel, cast iron in wide belts, narrow belts & rolls. YY polyester cloth backing with ceramic & zirconia abrasive, also with friction & heat resistant top size coating.

Trizact Belts



Trizact abrasives belts are ideal for applications requiring a fine finish, & are suited for a variety of metals such as stainless steel, chromium, nickel & cobalt-based materials.



Non - Woven Belts / Scotch Belts

These are durable belts engineered to perform detail work such as blending corners, cleaning, contour finishing, deburring edges, fine finishing, flat finishing, setting the grain, stainless steel finishing, & brushed finishes on a variety of metals.



FINISHING WHEELS



Shafted Abrasive Flap Wheels

60 x 40, 80 x 40, .25x25x6, 50x25x6

- Unique Finish because of it's combination flaps of different abrasive cloths.
- Prevents overheating & smearing on the surface.



Shafted Nonwoven Flap Wheels

Coarse, Medium, Fine, Very Fine

- Sanding for "not easy to access surfaces"
- Dry Sanding
- Used for rust removal & hairline finish.



Shafted Combination Flap Wheels

- Sanding for "not easy to access surfaces"
- Used for rust removal , light deburring & hairline finish.
- Works very well on Stainless Steel & can be used for other metals.



Shafted Unitized Flap Wheels

- Used for cleaning weld seems & surface conditioning
- Works very well on stainless steel & can be used for other metals
- Pressed nylon 6.6. fibers with abrasive grains in different densities.



Scotch Roloc Disc


- Tough, non-woven disc aggressively deburrs & finishes
- Conformable, non-woven disc combined with Roloc backing allows for aggressive cutting
- Open-web construction resists loading & runs cool, allowing for consistent finishes.




Unitized Roloc Disc

Blending, Cleaning, Deburring, Finishing, Grinding, Polishing, Radiusing, Refining, Surface Preparation Aluminum, Mild Steel, Nickel Alloy, Stainless Steel, Titanium.





Group of Companies



Al Taher Industries LLC

Al Taher Chemicals Trading LLC

Al Taher Tools & Hardware Trading LLC

Alif Tools & Hardware Trading

SAQAL
ساقال

Head Office :

Tel: +9716 7482593

P.O Box: 18912, Ajman - UAE

www.altaherchemicals.com

ISO 9001:2015

ISO 14001:2015

ISO 45001:2018

Polish Today Brighter Tomorrow